

莫顿 MODUN  
— SINCE 2002 —



PAGE01



HIGH SPEED  
HAND DRYER  
SERIES

PAGE29



HAIR DRYER  
SERIES

PAGE53



TISSUE BOX  
SERIES

PAGE70



BABY  
NURSING CHAIR  
SERIES

PAGE34




AUTOMATIC  
DISINFECTING HAND  
CLEANER SERIES

PAGE37



AUTOMATIC  
SOAP DISPENSER  
SERIES

PAGE41



AEROSOL  
DISPENSER  
SERIES

PAGE73



AUTOMATIC  
FAUCETS SERIES

PAGE76



AUTOMATIC  
URINAL FLUSHER  
SERIES

PAGE77



FREE-OBSTACLE  
HANDRAILS  
SERIES

MODUN HAND DRYER FEEL THE HEALTHY  
PROFESSIONAL SPACE THE CHOICE OF A NEW GENERATION




### THE NEW ERA OF INTELLIGENT HAND DRYERS

Touchless induction start  
Hot and cold double mode switch



### FAST HEATING TECHNOLOGY

Heating wire fast heating,  
high temperature resistant materials,  
safety performance greatly improved



### PHYSICAL NOISE REDUCTION TECHNOLOGY

Makes full use of the principles of air science,  
grid duct design.



Warm in winter and cool in summer  
Hot and cold switching

Open the heating



Close the heating

### KEEP IMPROVING DAMANDING DATAILS



Selected materials

ABS material is a good general purpose material at present,  
light and tough, wear resistance, high flexibility



Large diameter air outlet

Evenly covering hands in the air, comfortable and comfortable,  
equipped with high temperature protection security



### M-699S

- White
- Silver Grey
- Golden

Voltage	220-240V(50/60HZ)
Rated power	2000W
Dry hands time	15second
Air speed	15m/s
Water splash proof	1px4
Dimensions	W240xD240xH210mm
Material	ABS



# HIGH SPEED HAND DRYER

SERIES

## M-789


Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>100m/s
Water splash proof	IpX1
Dimensions	W200xD170xH388mm
Material	ABS



Light Gold

Snowy White

Stars Silver



ENCLOSED HIGH SPEED MOTOR



Thick copper wire  
The material is thick  
and durable



Mute bearing  
Stable operation  
and low noise



High temperature power  
In case the high temperature  
causes a fault




### MULTIPLE AIR PURIFICATION

Dust gas wind


Primary filter

Fine filter

Purified air



### INTELLIGENT CONTROL CENTER CHIP





## M-2008S

Voltage	220-240V(50/60HZ)
Rated power	1450W
Dry hands time	5-7second
Air speed	>80m/s
Water splash proof	IpX4
Dimensions	W251xD158xH471mm
Material	ABS



High quality copper wire




The noise reduction technology



Durable


### A GOOD HAND DRYER MUST HAVE A GOOD MOTOR

Adopt the mute motor, cooperate with the air compression to use the wind lasting strong




### AIR PURIFICATION FILTER

The high quality filter traps microorganisms and impurities from the bathroom, and its powerful power ensures that the filtered clean air dries quickly and hygienically



### INTELLIGENT CONTROL CENTER CHIP



BACK INTAKE FILTER  
Filter clear air

HIDDEN POWER SWITCH  
Neat, beautiful and safe



## M-2008S



## M-2008S1





## M-H9

Voltage	220-240V(50/60HZ)
Rated power	2050W
Dry hands time	5-7second
Air speed	>100m/s
Water splash proof	IpX4
Dimensions	W649xD300xH194mm
Material	ABS

## M-H9Plus ( Brushless )

Voltage	220-240V(50/60HZ)
Rated power	2000W
Dry hands time	5-7second
Air speed	>100m/s
Water splash proof	IpX4
Dimensions	W649xD300xH194mm
Material	ABS

### A GOOD HAND DRYER MUST HAVE A GOOD MOTOR

Adopt the mute motor,  
cooperate with the air compression  
to use the wind lasting strong



High quality  
copper wire




The noise  
reduction technology



Durable

### AIR PURIFICATION FILTER

The high quality filter traps microorganisms  
and impurities from the bathroom,  
and its powerful power ensures that the filtered clean  
air dries quickly and hygienically



### INTELLIGENT CONTROL CENTER CHIP





## M-H7



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	IpX4
Dimensions	W220xD103xH390mm
Material	ABS

### INDEPEN PROFESSIONAL QUALITY



Intelligent sensor



Overlapping double wind



Contactless touchless



Fast dry



High quality raw materials



Air inlet filter


### GOOD ABS MATERIAL

High quality insulation materials, mouldproof moistureproof



### POWERFULL MOTOR

High-power AC machine, it brings a huge amount of air, can be used at high frequency, reduce time spent in the bathroom



High quality copper wire




The noise reduction technology



Durable


### DOUBLE DUCT QUICK RESPONSE



### RAPID WARMING TRANSIENT FEELING WARM



Hot air drying hands, take the water out of your hand with a warm air jet



HIGH SPEED  
HAND DRYER  
SERIES

M-H8



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	IpX4
Dimensions	W234xD144xH390mm
Material	ABS



REDESIGN A NEW  
GENERATION OF MOTOR

Power accurately  
Reduce the flow of air to light machines,  
bringing more power



MODUN AIR-DOUBLE V  
INDUCTION TWO-WAY WIND



Infrared induction



The noise reduction  
of high-speed



V-shaped  
independent wind



Fast dry




Contactless operation



Intake air filtration

AIR MULTI-LAYER  
PURIFICATION

High quality glass sponge  
filters trap microorganisms and impurities





# WASHER AND DRYER COMBO

It's both a faucet and a hand dryer



M-LGT01B1



M-LGTO2B



M-LGT01B



M-LGTO1A

## M-L2022

Voltage	220-240V(50/60HZ)
Rated power	1150W
Dry hands time	6-10second
Air speed	>100m/s
Water splash proof	IpX4
Dimensions	W284xD183xH154mm
Material	BRASS



HIGH SPEED HAND DRYER


ONLY TAKES 6 SECONDS TO DRY HANDS

<p>Wash and dry hands all at once</p>	<p>Automatic switch between hot and cold</p>	<p>100-110 m/s</p> <p>Strong wind drying just 6 seconds</p>
<p>42000 r/min</p> <p>Brushless motor</p>	<p>Two-factor authentication and safe choice</p>	<p>HEPA filter element</p>



### AIR MULTI-LAYER PURIFICATION

High quality glass sponge filters trap microorganisms and impurities





## M-6669

White Silver Grey

Voltage	220-240V(50/60HZ)
Rated power	2000W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	IpX1
Dimensions	W350xD213xH503mm
Material	ABS



### HIGH SPEED JET HAND DRYER



MODUN HAND DRYER PROFESSIONAL MODEL  
EFFICIENT DRY HANDS



### SEPARATE WATER TRAY

Bottom tray drawer design,  
convenient and clean without affecting  
the appearance



intelligent induction 360 ring jet-propelled 5-7s quick dry hands high velocity jet flow the noise reduction technology long warranty

### DOUBLE SILENT HIGH-POWER MOTORS

Two silent electric units are used.  
Reduce noise while  
maintaining strong power



New alternating magnetic field technology,  
prevent power failure during the working  
stage with metal air compression box,  
test power lasting strong



### BRAND NEW ABS HIGH QUALITY MATERIAL

Use imported ABS raw materials,  
good toughness, corrosion resistance,  
insulation, not easy to scratch  
deformation



## M-9998

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	IpX1
Dimensions	W295xD190xH325mm
Material	Stainless steel



## M-9999

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	IpX1
Dimensions	W295xD171xH325mm
Material	Stainless steel

Modun  
(Zhejiang) Industrial  
Co.,Ltd



## M-9898

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	IpX1
Dimensions	W295xD165xH325mm
Material	Stainless steel



## M-790



Glossy

Brushed

White

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	IpX1
Dimensions	W160xD176xH356mm
Material	Stainless steel



## M-6666



Voltage	220-240V(50/60HZ)
Rated power	2000W
Dry hands time	5-7second
Air speed	>100m/s
Water splash proof	lpx4
Dimensions	290x220x685mm
Material	ABS




## M-6667



Voltage	220-240V(50/60HZ)
Rated power	2000W
Dry hands time	5-7second
Air speed	>100m/s
Water splash proof	lpx2
Dimensions	W290xD220xH685mm
Material	ABS



## M-5555



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx4
Dimensions	W240xD200xH320mm
Material	Stainless steel



## M-5556



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W240xD200xH300mm
Material	Stainless steel

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	8-10second
Air speed	>23m/s
Water splash proof	lpx1
Dimensions	W205xD200xH270mm
Material	Stainless steel

## M-7777



Voltage	220-240V(50/60HZ)
Rated power	2300-2500W
Dry hands time	5-7second
Air speed	>100m/s
Water splash proof	lpx4
Dimensions	W260xD210xH230mm
Material	Metal

## M-798



Voltage	220-240V(50/60HZ)
Rated power	2300-2500W
Dry hands time	5-7second
Air speed	>100m/s
Water splash proof	lpx4
Dimensions	W260xD210xH230mm
Material	Stainless steel

## M-798S



Voltage	220-240V(50/60HZ)
Rated power	2300-2500W
Dry hands time	5-7second
Air speed	>100m/s
Water splash proof	lpx4
Dimensions	W260xD210xH230mm
Material	ABS

## M-798ABS





M-2008C1



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W248xD165xH250mm
Material	ABS



M-2008C



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W248xD165xH520mm
Material	ABS



M-2008D1



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W248xD165xH250mm
Material	ABS



M-2008D



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W248xD165xH520mm
Material	ABS

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W248xD190xH250mm
Material	ABS

M-2008E1



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W248xD190xH520mm
Material	ABS

M-2008E



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W248xD165xH470mm
Material	ABS

M-2008F



Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx2
Dimensions	W248xD158xH250mm
Material	ABS

M-2008F1





## M-699



Voltage	220-240V(50/60HZ)
Rated power	1800/2000W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx2
Dimensions	W240xD230xH240mm
Material	ABS



## M-689



Voltage	220-240V(50/60HZ)
Rated power	1800/2000W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx2
Dimensions	W240xD230xH240mm
Material	ABS



## M-688B

Voltage	220-240V(50/60HZ)
Rated power	1600W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W240xD230xH240mm
Material	ABS



## M-588

Voltage	220-240V(50/60HZ)
Rated power	1500W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W265xD155xH200mm
Material	ABS

## M-588B



Voltage	220-240V(50/60HZ)
Rated power	1500W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W265xD155xH200mm
Material	ABS

## M-298B



Voltage	220-240V(50/60HZ)
Rated power	1500W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W265xD125xH205mm
Material	Metal

## M-688



Voltage	220-240V(50/60HZ)
Rated power	1800/2000W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx2
Dimensions	W240xD230xH240mm
Material	ABS

## M-2008



Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W250xD150xH285mm
Material	ABS



## M-2008B



Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W285xD150xH290mm
Material	ABS



## M-165



Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W220xD160xH270mm
Material	ABS



## M-165S



Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W220xD160xH270mm
Material	Stainless steel



## M-165B



Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W220xD165xH270mm
Material	Stainless steel

Voltage	220-240V(50/60HZ)
Rated power	2100W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W230xD200xH260mm
Material	ABS

## M-230



Voltage	220-240V(50/60HZ)
Rated power	2100W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	W230xD200xH260mm
Material	Stainless steel

## M-230S



Voltage	220-240V(50/60HZ)
Rated power	1000W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W182xD120xH267mm
Material	ABS

## M-120



Voltage	220-240V(50/60HZ)
Rated power	850W
Dry hands time	12second
Air speed	>18m/s
Water splash proof	lpx1
Dimensions	W145xD142xH218mm
Material	ABS

## M-988



MODUN HAND DRYER FEEL THE HEALTHY  
PROFESSIONAL SPACE THE CHOICE OF A NEW GENERATION



# HAIR DRYER SERIES

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	IPX1
Dimensions	W185xD95xH220mm



M-1288A M-1288B



**MOIST ANION CARE HAIR**  
When the power switch is on, the anion generator immediately emits anion, which is invisible to the human eye




**ANALYSIS OF HAIR DRYER WORK**  
Double speed wind regulation

### WIND CONTROL



### HEAT BALANCE DISTRIBUTION

Evenly distribute the heat to prevent excess heat concentration and blow dry hair gently and quickly





M-188

Voltage	220-240V(50/60HZ)
Rated power	300-850W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W185xD95xH220mm



M-288

Voltage	220-240V(50/60HZ)
Rated power	300-850W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W185xD95xH220mm



M-288C

Voltage	220-240V(50/60HZ)
Rated power	300-850W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W185xD95xH220mm



M-1288

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W95xD155xH210mm



Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W95xD120xH210mm



M-1288C



Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W100xD140xH200mm



M-1288D



Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W180xD110xH240mm



M-1288F-W



Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W200xD100xH170mm



M-1288H





M-1288L

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W115xD150xH320mm



M-1288J

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W100xD120xH180mm



M-1288L-1

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W115xD145xH200mm



M-1288N

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	W170xD90xH225mm



Capacity	1000ml
Dimensions	W126xD111xH246mm
Material	ABS



Automatic induction of liquid



Automatic induction of foam



Automatic induction of spray



M-X5



NO-TOUCHING  
SPRAY VOLUME ADJUSTABLE  
SENSOR DISTANCE ADJUSTED



APPLY TO ANY PLACES  
It is a hand sanitizer which understand u more



LABORATORY  
PHARMACY

SCHOOL  
EDUCATIONAL

SHOPPING  
SUPERMARKET

HOTEL

KITCHEN  
RESTAURANT

OFFICE  
BUSINESS CENTER

AUTOMATIC SPRAY HAND STERILIZER  
TOUCHLESS  
ADJUSTABLE SPRAY VOLUME  
AND SENSOR DISTANCE



Copper atomizing nozzle

ATOMIZING SPRAY IS MORE CONSUMABLE

The liquid is pressurized by an electronic pump to the atomizer nozzle, the needle atomizes the liquid by aerating it

SMART ATOMIZER  
CONTACTLESS  
INTELLIGENT SENSOR  
Avoid cross infection



AUTOMATIC  
DISINFECTING HAND CLEANER  
SERIES



M-6262-S



M-6262-S1



M-X1



M-X2



M-X3



M-X4



M-X6



M-X11



M-X12



**AUTOMATIC  
SOAP DISPENSER  
SERIES**


Power supply mode	Lithium battery/Dry cell/DC 5v
Rated power	20w
Capacity	1200ml
Water splash proof	IpX4
Dimensions	W140xD105xH290mm
Material	ABS



M-6262-F

M-6262-F1

DISCOVER THE SECURITY OF LIFE  
Automatic soap dispenser



Top cover lock

Good ABS material

-   
Intelligent induction of fluid
-   
No-touching
-   
Quantitative fluid
-   
1200ml
-   
The lithium battery
-   
Visual design



**INTEGRAL CURVED BODY**

Simple design,  
modeling texture,  
radian elegant and elegant



4\*AA batteries can be used as backup power for waterproof protection

Two - speed spray regulation



莫顿 MODUN



M-D15



M-D15F



M-X10



M-D12



M-1388



M-1388B



M-1388E



M-1388H

## HAND SANITIZER STATION SERIES



M-X11-1



M-X11-2



M-X11-3



MODUN HAND DRYER FEEL THE HEALTHY  
PROFESSIONAL SPACE THE CHOICE OF A NEW GENERATION

Modun  
(Zhejiang) Industrial  
Co.,Ltd

# SOAP DISPENSER SERIES



Press out the liquid

HIGH QUALITY PUMP BODY  
NEW DESIGN MORE DURABLE

Good durability,  
resilience,  
uniform discharge



M-6201



Easily open the  
lid and add liquid



M-50C



M-50C-2



M-50TH



M-50TH-2



M-50W



M-50W-2



M-50XB



M-50XB-2



M-68



M-68-G



M-68-W



M-68-D



M-68-B



M-1628



M-1658



M-9020



M-9020-2



M-9020C



M-9020C-2



M-9080W



M-9080B



M-9101



M-9101C



M-9102



M-9010W



M-9010G



M-9010W-2



M-9010G-2



M-9010W-3



M-9010G-3

Modun  
(Zhejiang) Industrial  
Co.,Ltd



SUS304  
STAINLESS STEEL  
SOAP DISPENSER SERIES



M-1618  
500ml



M-1618  
800ml



M-1618  
1000ml



M-1618B  
500ml



M-1618B  
800ml



M-1618B  
1000ml



M-1618C



M-1618D



M-1618D-1



# AEROSL DISPENSER SERIES



M-10



M-11



M-12



M-002



M-005



M-HS0150-W



M-6206



Modun  
(Zhejiang) Industrial  
Co.,Ltd

# SOAP DISPENSER SERIES




Press out the liquid

HIGH QUALITY PUMP BODY  
NEW DESIGN MORE DURABLE

Good durability,  
resilience,  
uniform discharge



M-6606



# AEROSL DISPENSER SERIES



M-9029G-1



M-9029G-2



M-9029G-3



M-9029W-1



M-9029W-2



M-9029W-3



M-9028B-1



M-9028B-2



M-9028B-3



M-9028G-1



M-9028G-2



M-9028G-3



M-9028W-1



M-9028W-2



M-9028W-3

# TISSUE BOX SERIES



 莫顿 MODUN  
— SINCE 2002 —

## M-5823B



White




Silver Grey



Gold



Blue



Black

### TO SIMPLIFY TO INTERPRET TASTE

Continued the simple design style, full of modern urban atmosphere, gentle lines and aid



### MULTIDIRECTIONAL WATERPROOF MOISTUREPROOF

The use of imported plastic absolutely waterproof, let you use more assured



High capacity



Visual



Fillet protection



Water and moisture resistance



Free of punch

ABS

ABS

### ADVANCED MATERIALS

Impact resistance, heat resistance, corrosion resistance



M-5859



White

Silver Grey

Gold



Water splash proof design



Free of punch



Advanced material



Thickening reinforcement



Large diameter paper outlet




High-capacity

### MODERN STYLISH

Match many kinds decorate a style



WATER PROOF SHELL  
KEEP PAPER DRY  
IN CASE OF GETTING WET



THE BEST PRODUCTS COME FROM HIGH QUALITY RAW MATERIAL



High-capacity



Safety Lock



Simple and easy to install



The rounded anti-collision



Wide paper outlet

M-5826ABS



White



Black

M-5822ABS



White



Blue



Black



HIGH IN THE FIGHT AGAINST



WATER PROOF SHELL  
KEEP PAPER DRY  
IN CASE OF GETTING WET

HIGH QUALITY COMES FROM GOOD MATERIAL

With good material characteristics,  
No deforming  
No scratching



SAWTOOTH DESIGN  
Humanized design,  
one hand can easily draw paper



SECURITY LOCK  
Security and anti-theft lock,  
rest assured for public use



TISSUE BOX  
SERIES

MODUN HAND DRYER FEEL THE HEALTHY  
PROFESSIONAL SPACE THE CHOICE OF A NEW GENERATION



M-5822H-W



M-5822H-G



M-5822H-D



M-5823ABS-W



M-5823ABS-B



M-5823ABS-G



M-5825ABS-W



M-5825ABS-B



M-5825ABS-G



M-5821ABS-W



M-5821ABS-G

Modun  
(Zhejiang) Industrial  
Co.,Ltd

MODUN HAND DRYER FEEL THE HEALTHY  
PROFESSIONAL SPACE THE CHOICE OF A NEW GENERATION



M-5921-1



M-5921



Water splash  
proof design



Free of punch



Advanced  
material



Thickening  
reinforcement



Large diameter  
paper outlet



High-capacity



PAPER-CUT ITSELF  
CENTER-ROLL DISPENSER  
1 PCS/TIME NO WASTING

Modun  
(Zhejiang) Industrial  
Co.,Ltd





M-5922

ONE PIECE ONE CUT NO WASTING

PAPER-CUT ITSELF  
CENTER-ROLL DISPENSER  
1 PCS/TIME NO WASTING



WATERPROOF



PAPER-CUT ITSELF



SELECT MATERIAL



ALLOWANCE FOR VISUAL



SAFETY LOCK



HIGH-CAPACITY

MOISTURE PROOF  
High density waterproof and dustproof



DETAILS REVEAL  
QUALITY


High-capacity



SELECT MATERIAL  
CORROSION RESISTANCE



Anti-theft lock buckle



MODUN HAND DRYER FEEL THE HEALTHY  
PROFESSIONAL SPACE THE CHOICE OF A NEW GENERATION



M-5858W



M-5858G



M-5858B



M-3020W



M-3020G



M-3020B



M-5860W



M-5860G



M-5860Blue



M-5861W



M-5861G



M-5861Blue

MODUN HAND DRYER FEEL THE HEALTHY  
PROFESSIONAL SPACE THE CHOICE OF A NEW GENERATION



M-3010W



M-3010B



M-5922W



M-5829W



M-5829B



M-5926W



M-5820



M-5820-1



M-5926B



M-5911



M-5911B

Modun  
(Zhejiang) Industrial  
Co.,Ltd

MODUN HAND DRYER FEEL THE HEALTHY  
PROFESSIONAL SPACE THE CHOICE OF A NEW GENERATION



M-5822



M-5822B



M-5822B-2



M-5821



M-5823

STAINLESS STEEL BODY  
CAST A NEW REALM OF QUALITY



SUS304  
RUST AND CORROSION  
FOR A LONG TIME JUST LIKE NEW

304



The box use sus304,  
durable,  
high capacity



MULTIFUNCTIONAL STAINLESS STEEL  
MODULAR CABINET



M-738A




M-728A



M-728D



M-728E



**BABY**  
NURSING CHAIR  
SERIES



M-B5



M-B5-2



M-B5



M-B5-2



M-B5



M-B5-2



M-B3



M-B1



M-B2



M-B2-2



M-B2-3



# BABY CHANGING STATIONS SERIES



## HDPE MATERIAL

The seat is made of one blow molding HDPE. It has good flame retardant, cold resistance and toughness. Better protect the safety of infants



More comfortable  
More secure  
More environmentally friendly



Easy diaper change



To prevent a fall



No back pain in normal posture



## FOLDING DESIGN SAVE SPACE

Folding design saves space when not in use and is convenient for storage. It's worth having a baby changing station.



## AUTOMATIC FAUCETS SERIES



M-3588



M-1988



M-3688

AUTOMATIC  
FAUCETS  
SERIES



M-2388



M-2388B



M-1988B



M-1818



M-1818B



M-3088



M-3788



M-3388



M-6288



M-6288B



M-6188



M-6188B

AUTOMATIC  
URINAL FLUSHER  
SERIES



M-2588



M-2918



M-2788



M-2799



M-2888



M-2888B



M-2889



M-6088



M-6688



M-6628



M-6688



M-2969



M-2979




M-2989



PATENT CERTIFICATION  
**LUMINOUS PARTICLES**

Human design  
 to ensure the emergence of timely assistance



**SAFETY RAILS**  
 SERIES



M-9923



M-9917



M-9911



M-9914



M-9961



M-9922



M-91



M-9C



M-9L



M-9L1



M-9L7



M-9T7

SAFETY RAILS  
SERIES



M-9F



M-9FS



M-9F3



M-9M



M-9X



M-9D



M-9FT



M-9FST



M-9U1T



M-9Z1



M-9Z2



M-9Z2T



M-9UT



M-9MT



M-9XT



M-9Z3



M-9Z4




M-9Z4T

M-925



M-9971




M-HR1210B



M-HR1310B



M-9972-G



M-9973-G

