



>>> TABLE OF CONTENTS

Ice cream bike	01
Coffee drink bike	07
Black functional bike	13
Cake tricycle	14
Snack bike	15
Takeaway Trolley	20
Beer cart	25
Coconut cart	28



Yellow and white ice cream bike

(Manpower/Electric)

Wheel size: front wheel 20 * 1.75, rear wheel 24 * 1.75

Electric wheel size: rear wheel 24 * 2.125 front wheel 20 * 2.125

Vehicle size: 2300 * 800 * 1100mm

Wheel hub motor: 250w / 350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Temperature range: 8°--18°

Power battery: 12v / 80AH (12 hours of refrigeration, 6 hours of freezing)

Note: The capacity of the freezer with different amperage and temperature and the power battery can be customized according to the needs

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power supply: human/electricity model can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with awning



Popsicle bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 1900*800*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Freezer: 108l 12/24v non-DC freezer

Temperature range: 8° — -18°

Supply battery: 12v/80AH (refrigerate for 12 hours and freeze for 6 hours)

Two power supply modes of 220v/12v can be realized

Note: Freezers with different amperages and temperatures and the capacity of the supply battery can be customized according to needs

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Ice cream vending Popsicle bike
(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2400*950*2200mm
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Freezer size: 1m long
 Temperature range: 8° — -18°
 Supply battery: 12v/80AH (refrigerate for 12 hours and freeze for 6 hours) Two power supply modes of 220v/12v can be realized)
 Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
 Power: manpower/electric models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Mint Green Ice Cream Vending Popsicle bike
(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2300*850*2200mm
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Freezer: 120L 12/24v DC freezer
 Temperature range: 8° — -18°
 Supply battery: 12v/80AH (refrigerate for 12 hours and freeze for 6 hours) Two power supply modes of 220v/12v can be realized
 Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
 Power: manpower/electric models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Custom refrigerator Popsicle bike
(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2300*960*1100mm
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
 Power: manpower/electric models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Ice cream Popsicle bike (putting ice cream machine)
(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2200*820*1100mm
 Car size: 900*650*600mm
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
 Power: manpower/electric models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Water supply refrigerator bicycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2300*830*2300mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Temperature range: 8° — -18°

Refrigerator configuration: 208L

Aluminum alloy double-layer knife ring speed: 6-speed external

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Ice cream takeaway bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2700*1000*2300mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Temperature range: 8° — -18°

Refrigerator configuration: 220V plug-in refrigerator

Aluminum alloy double-layer knife ring speed: 6-speed external

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Sand ice bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2400*850*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Temperature range: 8° — -18°
Refrigerator configuration: 220V plug-in refrigerator
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Fruit ice cream bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300*850*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Ice cream takeaway bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2200*800*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Temperature range: 8° — -18°
Refrigerator configuration: 138L
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Solar ice cream bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2750*950*2200mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Temperature range: 8° — -18°
Refrigerator configuration: 150L
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Flip Countertop Refrigerator Freezer Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2680*800*2700mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Temperature range: 8° — -18°
Refrigerator configuration: 258L
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



refrigerated cake bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2400*900*2300mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Temperature range: 8° — -18°
Refrigerator size: 900*500*720mm
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



ice cream sales bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2500*900*2300mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Temperature range: 8° — -18°
Refrigerator: 6 ice cream buckets with a diameter of 20cm
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Extended awning refrigerator bicycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300*800*2300mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Temperature range: 8° — -18°
Refrigerator configuration: 120L
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Fruit Salad Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2400*920*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Temperature range: 8° — -18°

Refrigerator configuration: 220V plug-in refrigerator

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Ice cream cart

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Vehicle size: 1500*880*1350mm

Temperature range: 8° — -18°

Refrigerator configuration: 220v plug-in refrigerator

Power: hand push

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Small coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2200*860*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Coffee cart

(Manpower)

Wheel: universal wheel

Vehicle size: 1900*900*2300mm

Body configuration: rotating trash can, cup unloading device,

cup flushing device

Brake: Aluminum alloy V brake

Carriage material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs





wooden box coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2460*900*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Folding coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300*850*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2500*900*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer cutter ring Speed: 6-speed adjustable outside Shimano
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Lengthen coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 3200*1000*2200mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs



Coffee cart

(Manpower)

Wheel material: universal wheel

Vehicle size: 1200*600*700mm

Body configuration: water supply system, cash box,

cup remover, refrigerator

Power: Rickshaw

Carriage material: multi-layer plywood/cold rolled plate

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs



Wood color coffee bike

(Manpower/Electric)

Wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2900*900*2300mm

Body configuration: water supply system, ice maker, refrigerator

Ice machine capacity: 25kg

Refrigerator capacity: 20L

Hub motor: 250w/350w

Electric vehicle configuration: 36v rechargeable lithium battery

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: external 6 gears

Shimano adjustable

Power: manpower/motor type can be customized

Brake: Aluminum alloy V brake

Carriage material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs



White small coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2500 * 900 * 2300mm

Body configuration: water supply system

Ice machine capacity: 25kg

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring Speed: external Shimano

6 speed adjustable

Power: manpower/electrical models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Big coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2500*900*2200mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs



White Small Coffee Cart Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2500 * 900 * 2300mm
Body configuration: water supply system
Ice machine capacity: 25kg
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
Power: manpower/electrical models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Flip Countertop Coffee Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2000*860*2300mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs





Grey coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300 * 820 * 1100mm
Body configuration: water supply system
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery
36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring Speed: external Shimano
6 speed adjustable
Power: manpower/electrical models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



purple coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2200 * 860 * 1100mm
Body configuration: water supply system
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery
36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring Speed: external Shimano
6 speed adjustable
Power: manpower/electrical models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



folding coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300 * 850 * 2200mm
Body configuration: water supply system
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery
36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring Speed: external Shimano
6 speed adjustable
Power: manpower/electrical models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



coffee selling bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300 * 860 * 2200mm
Body configuration: water supply system
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery
36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring Speed: external Shimano
6 speed adjustable
Power: manpower/electrical models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Black flip coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2900*880*2300mm

Hub motor: 250w/350w

Body configuration: water supply system, ice maker, refrigerator

Ice maker capacity: 25kg refrigerator capacity: 20L

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable

Power: manpower/electrical models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Extended wrought iron coffee bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2500*900*2200mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable


Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs



+

Black parent-child bicycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2300*850*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs



Cargo pet bicycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2300*850*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs



bike trailer

(Manpower/Electric)

Vehicle size: 4330*1000*1000mm

Trailer size: 2638*999*751mm

Trailer front wheel motor: 500w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: external 6 gears

Power: customizable human/motor type

Brakes: Disc brakes

Trailer material: cold rolled sheet

Frame material: high carbon steel

Function: can be customized as needed



Takeaway Tricycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2600*950*1000mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: Single speed

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs



Bread display sale bicycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2400*800*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs



Cake Takeaway Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2200*850*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs



Fast food bicycle with freezer

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2500*900*1100mm
 Body configuration: water supply system, refrigerator
 Equipped with equipment: gas grill griddle gas fryer
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy

BBQ snack bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2400*900*1250mm
 Main carriage: 1200*650*600mm
 Reversal food material cabinet: 1200*650*180mm
 Body configuration: water supply system, gas grill griddle
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Pancake snack bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2400*850*2100mm
 Car box size: 1000*600*600mm
 Body configuration: pancake tray
 Frying pan diameter: 400mm (gas/plug-in heating as required)
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Fried Chicken BBQ Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2400*900*1250mm
 Main carriage: 800*600*700mm
 Body configuration: gas fryer, gas grill griddle
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



BBQ snack bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2500*920*1100mm
 Body configuration: gas grill griddle gas grill
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Egg waffle snack bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2400*900*2200mm
 Body configuration: egg waffle machine
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Hot dog fried ice bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2700*870*2300mm
 Body configuration: hot dog machine, frying ice machine
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Flip refrigerated food bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2680*580*2700mm
 Main carriage: 1350*580*2700mm
 Car compartment: 1350*580*2700mm
 Body configuration: 258L refrigerator, salad plate
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy





Ice cream marshmallow bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2700*850*2300mm
 Body configuration: refrigerator, cotton candy machine
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Temperature range: 8° — -18°
 Refrigerator configuration: 220v plug-in refrigerator
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy



Pancake snack bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
 Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
 Vehicle size: 2400*850*2200mm
 Body configuration: pancake machine
 Hub motor: 250w/350w
 Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
 Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
 Power: manpower/electrical models can be customized
 Brake: Aluminum alloy V brake
 Car compartment material: multilayer plywood/cold rolled sheet
 Frame material: high carbon steel argon arc welding
 Function: can be customized according to needs, can be equipped with rain canopy





Snack bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2400*850*1100mm

Body configuration: gas stove

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH

(customizable/removable)

Aluminum alloy double-layer knife ring Speed: external Shimano

6 speed adjustable

Power: manpower/electrical models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Breakfast snack bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2900*870*2200mm

Body configuration: Insulation barrel

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH

(customizable/removable)

Aluminum alloy double-layer knife ring Speed: external Shimano

6 speed adjustable

Power: manpower/electrical models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy





Fruit selling bicycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300*850*1350mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Takeaway Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300*850*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Pure white takeaway bike with canopy

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300*820*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Flip countertop takeaway bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2200*580*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Areca Bicycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300*900*1100mm
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable
Power: manpower/electric models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Glasses bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75
Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125
Vehicle size: 2300*850*2200mm
Body configuration: glasses frame
Hub motor: 250w/350w
Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)
Aluminum alloy double-layer knife ring Speed: external Shimano 6 speed adjustable
Power: manpower/electrical models can be customized
Brake: Aluminum alloy V brake
Car compartment material: multilayer plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs, can be equipped with rain canopy



Marshmallow Takeaway Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2300*840*2400mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Marshmallow Takeaway Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Main car 2300*840*2400mm

Cash register: 1200*600*900mm

Ice cream cabinet: 600*600*900mm (customizable)

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy





Cake cart
(Manpower/Electric)

Wheel material: universal wheel
Vehicle size: 1100*600*1100mm
Power: human cart
Car compartment material: multilayer
plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs



Takeaway cart
(Manpower/Electric)

Wheel material: universal wheel
Vehicle size: 1050*850*1100mm
Power: human cart
Car compartment material: multilayer
plywood/cold rolled sheet
Frame material: high carbon steel argon arc welding
Function: can be customized according to needs



Doraemon Takeaway Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2400*800*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v
12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external
Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped
with rain canopy



Electric sapphire reverse riding tricycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2300*850*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v
12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external
Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped
with rain canopy



Pink takeaway bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2300*860*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v
12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external
Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped
with rain canopy



Electric reverse ride takeaway bicycle

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2400*800*1100mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v
12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external
Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped
with rain canopy



Retro fresh beer takeaway bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2500*950*1300mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy

Wrought iron beer bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2600*1050*1800mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Mint green beer bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2350*800*1100mm

Hub motor: 250w/350w

Refrigeration system: freezer

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Yellow beer bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2200*940*950mm

Car box size: 980*740*950mm

Hub motor: 250w/350w

Refrigeration system: air-cooled

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external

Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy





Flip countertop beer bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2400*830*2200mm

Hub motor: 250w/350w

Refrigeration system: customizable

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring Speed: external Shimano

6 speed adjustable

Power: manpower/electrical models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy



Juice Takeaway bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2350*850*2200mm

Hub motor: 250w/350w

Refrigeration system: ice storage tank

Electric vehicle configuration: rechargeable lithium battery 36v

12AH (customizable/removable)

Aluminum alloy double-layer knife ring Speed: external Shimano

6 speed adjustable

Power: manpower/electrical models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy





Freshly Squeezed Coconut Milk Bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2600*850*1300

Car size: 1350*600mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Freezer temperature range: 8° — -18°

Supply battery: 12v/80AH (refrigerate for 12 hours and freeze for 6 hours)Two power supply modes of 220v/12v can be realized

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy

Coconut bike

(Manpower/Electric)

Human wheel size: front wheel 20*1.75, rear wheel 24*1.75

Electric wheel size: rear wheel 24*2.125 front wheel 20*2.125

Vehicle size: 2500*1500*2200mm

Hub motor: 250w/350w

Electric vehicle configuration: rechargeable lithium battery 36v 12AH (customizable/removable)

Aluminum alloy double-layer knife ring speed: 6-speed external Shimano adjustable

Power: manpower/electric models can be customized

Brake: Aluminum alloy V brake

Car compartment material: multilayer plywood/cold rolled sheet

Frame material: high carbon steel argon arc welding

Function: can be customized according to needs, can be equipped with rain canopy