

ONE STOP HOTEL & RESORTS SUPPLY





Features:


- Aluminum frame
- Durable aluminum hub, finial and rib end protector
- 304 stainless steel hardware fittings
- Double pulley and rope system for easy, light opening
- The canopy is screwed to rib end protector for easy replacement
- Premium quality weather-resistant fabric

ONE STOP HOTEL & RESORTS SUPPLY

Technical Data







A =	total	height
	cotte	11016111

B = open height


C = closed height

D = flat to flat

E = point to point

shape	Code	size	Α	В	С	D	E	coverage	pole	ribs	suggested bases*
	DE25SQ	8' / 2.5m	8'6" / 2.6m	7'1" / 2.15m	2'9" / 0.83m	8'2" / 2.5m	11'7" / 3.54m	67 ft²	1.89" / 48mm	8	133 lbs / 60 kg
	DE30SQ	10' / 3m	8'6" / 2.6m	7'1" / 2.15m	1'8" / 0.51m	9'10" / 3m	13'11" / 3.54m	97 ft²	1.89" / 48mm	8	178 lbs / 80 kg
V	VE35SQ	11.5' / 3.5m	8'10" / 2.7m	7'5" / 2.25m	10" / 0.25m	11'6" / 3.5m	16'3" / 4.95m	132 ft²	2.28" / 58mm	8	178 lbs / 80 kg
	DE27R	9' / 2.7m	7'10" / 2.4m	6'7" / 2.0m	3'3" / 1.0m	8'2" / 2.5m	8'10" / 2.7m	55 ft²	1.89" / 48mm	8	133 lbs / 60 kg
	DE30R	10' / 3m	8'2" / 2.5m	7'1" / 2.15m	3'3" / 1.0m	9'1" / 2.77m	9'10" / 3.0m	68 ft²	1.89" / 48mm	8	133 lbs / 60 kg
4_2/	VE40R	13' / 4.0m	8'6" / 2.6m	7'1" / 2.15m	2' / 0.6m	12'2" / 3.7m	13'1" / 4.0m	121 ft²	2.28" / 58mm	8	178 lbs / 80 kg

Pole & Rib





Frame finish options





Silver brush







- · Aluminum frame
- Eco-friendly PP hub and finial
- 304 stainless steel hardware fittings
- Single pulley and rope system
- Rib pocket stucture
- Premium quality weather-resistant fabric



Aluminum pole and 4 ribs (gray color)



stainless steel long bolt



PP finial (gray color)



Rib pocket


optional parts*




pole connector


*optional parts used by two piece pole structure, for easy storage and transportation

Technical Data



Pole & Rib





Frame finish options



Hub & Finial color options





brown

gray color comes with silver brush frame finish, brown color comes with imitation wood frame finish.







Aluminum frame and PP hub (gray color)



Aluminum ribs and stainless steel fittings



PP finial (gray color)




Rib pocket


Features:

- · Fine Aluminum frame
- Eco-friendly PP hub and finial
- 304 stainless steel hardware fittings
- Double pulley and rope system
- Premium quality weather-resistant fabric

Technical Data



Pole & Rib



1.18" x 0.79" 30 x 20 mm

-0.079" Pole

Frame finish options





Hub & Finial color options







brown



gray color comes with silver brush frame finish, brown color comes with imitation wood frame finish.


Note: Dimension Tolerances ± 2", base height not included. * Recommended weight for free-standing applications.






- Solid teak frame, single piece pole for extra strength and durability
- Durable aluminum hub, finial and rib end protector
- 304 stainless steel hardware fittings
- Double pulley and rope system for easy, light opening
- The canopy is screwed to rib end protector for easy replacement
- Premium quality weather-resistant fabric

Technical Data







A = total height

B = open height

C = closed height

D = flat to flat

E = point to point

shape	Code	size	Α	В	С	D	E	coverage	pole size	ribs	size of ribs	suggested bases*
	TE25SQ	8' 2.5m	8'6" 2.6m	7'1" 2.15m	2'9" 0.83m	8'2" 2.5m	11'7" 3.54m	67 ft²	1.89" 48mm	8	1.18" x 0.79" 30 x 20 mm	133 lbs 60 kg
	TE30SQ	10' 3m	8'6" 2.6m	7'1" 2.15m	1'8" 0.51m	9'10" 3m	13'11" 3.54m	97 ft²	1.89" 48mm	8	1.18" x 0.79" 30 x 20 mm	178 lbs 80 kg
	TE27R	9' 2.7m	7'10" 2.4m	6'7" 2.0m	3'3" 1.0m	8'2" 2.5m	8'10" 2.7m	55 ft²	1.89" 48mm	8	1.18" x 0.79" 30 x 20 mm	133 lbs 60 kg

Note: Dimension Tolerances ± 2", base height not included.

* Recommended weight for free-standing applications.







Features:


- Aluminum frame
- · Durable aluminum hub, finial and rib end protector
- 304 stainless steel hardware fittings
- Double pulley and rope system for easy, light opening
- The canopy is screwed to rib end protector for easy replacement
- Premium quality weather-resistant fabric

Lepus

Technical Data







A = total h	eight
-------------	-------


C = closed height


D = flat to flat

E = point to point

shape	code	size	Α	В	С	D	E	coverage	pole	ribs	suggested bases
	LE25SQ	8' / 2.5m	8'6" / 2.6m	7'1" / 2.15m	2'9" / 0.83m	8'2" / 2.5m	11'7" / 3.54m	67 ft²	2.72" / 69mm	8	335 lbs / 152 kg
	LE30R	10' / 3m	8'2" / 2.5m	7'1" / 2.15m	3'3" / 1.0m	9'1" / 2.77m	9'10" / 3.0m	68 ft²	2.72" / 69mm	8	335 lbs / 152 kg

Pole & Rib





Frame finish options







Imitation wood

Base



84 lbs / pc x 4pcs granite with steel cross







Features:


- Aluminum pole with internal cross profile to achieve extreme strength
- Durable aluminum hub, finial and rib end protector
- 304 stainless steel hardware fittings
- Double pulley and rope system for easy, light opening
- The canopy is screwed to rib end protector for easy replacement
- Premium quality weather-resistant fabric



Technical Data









D = flat to flat

E = point to point

shape	code	size	A	В	С	D	E	coverage	pole	ribs	suggested bases
	UR30SQ	10' / 3m	8'6" / 2.6m	7'1" / 2.15m	1'8" / 0.51m	9'10" / 3m	13'11" / 3.54m	97 ft²	3.66" / 93mm	8	335 lbs / 152 kg 440 lbs / 200 kg
	UR35SQ	11.5' / 3.5m	8'10" / 2.7m	7'5" / 2.25m	10" / 0.25m	11'6" / 3.5m	16'3" / 4.95m	132 ft²	3.66" / 93mm	8	440 lbs / 200 kg
	UR40R	13' / 4m	8'6" / 2.6m	7'1" / 2.15m	2' / 0.6m	12'2" / 3.7m	13'1" / 4.0m	121 ft²	3.66" / 93mm	8	440 lbs / 200 kg

Pole & Rib






Frame finish options



Base







110 lbs / pc x 4pcs granite stone

base weights & stand for center pole styles


granite base weights for center pole styles



304 stainless steel tube



Item No.	Weight	Size	Thickness	Item No.	Weight	Size	Thickness
GB40R	88 lbs (40 kg)	20"	.30"	GB40SQ	88 lbs (40 kg)	20"	.24"
GB60R	133 lbs (60 kg)	20"	.47"	GB60SQ	133 lbs (60 kg)	20"	.35"
GB80R	178 lbs (80 kg)	20"	.59"	GB80SQ	178 lbs (80 kg)	20"	.47"











Finishes for frame







Options for pole & rib

Pole: \$\Phi 38X4.0MM Ф 48Х5.0ММ

Rib: 17X26X2.0MM 20X30X2.5MM 20X35X3.0MM

Options for Hub & Runner

Resin Hub & Runner Nylon Hub & Runner W/Nylon U Shape Brackets Resin Hub & Runner W/S/S U Shape Brackets Alum.alloy Hub & Runner W/Alum.Rib Connector Nylon Hub & Runner

Others



















inishes	for frame	
ax Cales	Wine Color	Whet Color
out firm Color	Marted Dark Room, Gene	Matted Block Grey Cales
rk-Rown Calor	Hast Gibe	Toger Painted Color

Options for pole & rib

Pole: \$\Phi\$ 38X4.0MM Ф 48Х5.0ММ

Rib: 17X26X2.0MM 20X30X2.5MM 20X35X3.0MM

Options for Hub & Runner

Nylon Hub & Runner W/Nylon U Shape Brackets Alum.alloy Hub & Runner W/S/S U Shape Brackets Alum.alloy Hub & Runner W/Alum.Rib Connector Resin Hub & Runner W/S/S U Shape Brackets Nylon Hub & Runner

Others

Cover: polyester/olefin/acrylic Tilt: optional Number of ribs: 4/6/8 Open System: Lift up with rope Protective Cover: optional Umbrella Base: optional Fabric pocket/Fabric patch: optional

Options for pole & rib

Pole: Ф 38X4.0MM Ф 48Х5.0ММ

Rib: 17X26X2.0MM 20X30X2.5MM 20X35X3.0MM

Options for Hub & Runner

Resin Hub & Runner Nylon Hub & Runner W/Nylon U Shape Brackets Resin Hub & Runner W/S/S U Shape Brackets Alum.alloy Hub & Runner W/Alum.Rib Connector Nylon Hub & Runner

Others











Options for pole & rib

Pole: Φ 38X4.0MM Φ 48X5.0MM

Rib: 17X26X2.0MM 20X30X2.5MM 20X35X3.0MM

Options for Hub & Runner

Resin Hub & Runner
Alum.alloy Hub & Runner W/S/S U Shape Brackets
Resin Hub & Runner W/S/S U Shape Brackets
Alum.alloy Hub & Runner W/Alum.Rib Connector
Nylon Hub & Runner

Others

Cover: polyester/olefin/acrylic Tilt: optional Number of ribs: 4/6/8 Open System: Lift up with rope Protective Cover: optional Umbrella Base: optional Fabric pocket/Fabric patch: optional

Options for pole & rib

Pole: Φ 38X4.0MM Φ 48X5.0MM

Rib: 17X26X2.0MM 20X30X2.5MM 20X35X3.0MM

Options for Hub & Runner

Resin Hub & Runner
Nylon Hub & Runner W/Nylon U Shape Brackets
Resin Hub & Runner W/S/S U Shape Brackets
Alum.alloy Hub & Runner W/Alum.Rib Connector
Nylon Hub & Runner

Others





Options for pole & rib Pole: \$\Phi\$ 38X4.0MM

Pole: Ψ 38X4.0MM Φ 48X5.0MM

Details

Rib: 17X26X2.0MM 20X30X2.5MM 20X35X3.0MM

Options for Hub & Runner

Resin Hub & Runner
Nylon Hub & Runner W/Nylon U Shape Brackets
Resin Hub & Runner W/S/S U Shape Brackets
Alum.alloy Hub & Runner W/Alum.Rib Connector
Nylon Hub & Runner

Others

Finishes for frame

DB-007 Shapes & sizes 1.5M 1.5X1.5M 1.8M 2X2M 2.1M 2.5M 2.7M 3M Regular FIBERSUN Umbrella

Details Finishes for frame

Options for pole & rib Options for Hub & Runner Others Pole: \$\Phi 38X4.0MM Nylon Hub & Runner W/Nylon U Shape Brackets Cover: polyester/olefin/acrylic Nylon Hub & Runner Tilt: optional Resin Hub & Runner Number of ribs: 8 Open System: Lift up with rope Protective Cover: optional

Umbrella Base: optional

Rib: 16X3.0MM



DB-008





Options for pole & rib

Details

Pole: \$\Phi\$ 38X4.0MM Rib: 14X20X2.0MM

Options for Hub & Runner

Resin Hub & Runner Nylon Hub & Runner W/Nylon U Shape Brackets Resin Hub & Runner W/S/S U Shape Brackets Alum.alloy Hub & Runner W/Alum.Rib Connector Nylon Hub & Runner

Others

Cover: polyester/olefin/acrylic Tilt: optional Number of ribs: 8 Open System: Lift up with rope Protective Cover: optional Umbrella Base: optional









Options for pole & rib Pole: Φ 38X4.0MM


Rib: ф 12.7X3.0MM ф 16X3.0MM 14X20X2.0MM

Options for Hub & Runner

Resin Hub & Runner Nylon Hub & Runner W/Nylon U Shape Brackets Nylon Hub & Runner

Others

Cover: polyester/olefin/acrylic Tilt: optional Number of ribs: 8 Open System: Lift up with rope Protective Cover: optional Umbrella Base: optional





Pole: 65X65X5.0MM 91X91X5.0MM

Rib: 20x30x2.5MM 20x35x3.0MM

Options for Hub & Runner

Alum.alloy Hub & Runner W/S/S U Shape Brackets Resin Hub & Runner W/S/S U Shape Brackets Hardwood Hub & Runner W/S/S U Shape Brackets

Others

Cover: polyester/olefin/acrylic Number of ribs: 8 Open System: with crank Protective Cover: optional Umbrella Base: optional Fabric pocket/Fabric patch: optional




























Details



Finishes for frame Task Cilir What Orle What Orle What Orle Cilir Manual Dark Rever Cibre Manual Dark Rever Cibre Manual Dark Rever Cibre

Options for pole & rib Pole: 65X65X5.0MM 91X91X5.0MM

Rib: 20X35X3.0MM

Options for Hub & Runner

Alum.alloy Hub & Runner W/S/S U Shape Brackets

Others

Cover: polyester/olefin/acrylic Number of ribs: 8



FIBERSUN Hanging Umbrella

Details

Options for pole & rib


Pole: 65X65X5.0MM/91X91X5.0MM Rib: 20x30x2.5MM/20x35x3.0MM

Sh	apes & siz	zes
Octagon	Square	Rectangle
2.5M	2.5X2.5M	2X3M
2.7M	2.7X2.7M	3X4N
3M	3X3M	
3.3M	3.3X3.3M	
3.5M	3.5X3.5M	
4M		









Test Color



Finishes for frame



Trail Calor

White Calor

White Calor

White Calor

Spec Calor

Sp

Options for pole & rib

Pole: ф 38MM/ ф 48MM ф 60MM

Rib: 17X26MM/20X28MM 20X35MM/20X40MM

Options for Hub & Runner

Nylon Hub & Runner
Nylon Hub & Runner W/Nylon U Shape Brackets
Resin Hub & Runner W/Sl S U Shape Brackets
Alum.alloy Hub & Runner W/Stainless Steel U Shape Brackets
Alum.alloy Hub & Runner W/Alum.Rib Connector
Hardwood Hub & Runner W/Stainless Steel U Shape Brackets

Others





Options for pole & rib Pole: Φ38MM/Φ48MM

Ф 60ММ


Rib: 17X26MM/20X28MM 20X35MM/20X40MM

Resin Hub & Runner

Nylon Hub & Runner W/Nylon U Shape Brackets Resin Hub & Runner W/S/S U Shape Brackets Alum.alloy Hub & Runner W/Stainless Steel U Shape Brackets Nylon Hub & Runner

Hardwood Hub & Runner W/Stainless Steel U Shape Brackets

Others





Finishes for frame

Options for pole & rib Options for Hub & Runner Pole: \$\Phi 38MM / \$\Phi 48MM\$

ф 60ММ

Rib: 17X26MM/20X28MM

20X35MM/20X40MM

Resin Hub & Runner Nylon Hub & Runner W/Nylon U Shape Brackets Resin Hub & Runner W/S/S U Shape Brackets Alum.alloy Hub & Runner W/Stainless Steel U Shape Brackets Alum.alloy Hub & Runner W/Alum.Rib Connector Hardwood Hub & Runner W/Stainless Steel U Shape Brackets

Others

Cover: polyester/olefin/acrylic Tilt: optional Number of ribs: 4/6/8 Open System: Lift up with rope Protective Cover: optional Umbrella Base: optional Fabric pocket/Fabric patch: optional




Hardwood Hanging Umbrella

Options for pole & rib Pole: 65X65MM/90X90MM Rib: 20x30MM/20x40MM

Octagon 2.5M 2.5X2.5M 2X3M 2.7X2.7M 2.7M 3M 3X3M 3.3M 3.3X3.3M 3.5M 3.5X3.5M 4X4M 4M

Details














Details





Options for pole & rib Pole: Φ38MM/Φ48MM

Pole: Ф 38MM/ Ф 48MM Ф 60MM

Rib: 17X26MM/20X28MM 20X35MM/20X40MM

Options for Hub & Runner

Resin Hub & Runner
Nylon Hub & Runner W/Nylon U Shape Brackets
Resin Hub & Runner W/S/S U Shape Brackets
Alum.alloy Hub & Runner W/Stainless Steel U Shape Brackets
Nylon Hub & Runner

Alum.alloy Hub & Runner W/Alum.Rib Connectors

Others





Options for pole & rib

Pole: Ф 38X2.25MM Ф 48X2.0MM

Rib: 14.5X30X1.2MM 20X30X1.0MM 20X35X1.5MM

Options for Hub & Runner

Resin Hub & Runner
Resin Hub & Runner W/S/S U Shape Brackets
Alum.alloy Hub & Runner W/S/S U Shape Brackets
Alum.alloy Hub & Runner W/Alum.Rib Connector

Others

Finishes for frame





DB-022







Finishes for frame

Sand Having Color
White Color
White Color

thick Color Peedler Goated Back Color Peedler Countries

Details



Finishes for frame

Sand Blantag Color

Wiene Coho Foreder Contad

ted. Black Codes Freeder Control

Options for pole & rib

Pole: Φ 38X2.25MM/ Φ 48X2.0MM Φ 60X2.0MM

Rib: 14.5X30X1.2MM/20X30X1.0MM 20X35X1.5MM/20X40X1.5MM

Options for Hub & Runner

Resin Hub & Runner
Nylon Hub & Runner W/Nylon U Shape Brackets
Alum.alloy Hub & Runner W/Alum.Rib Connector

Others

Cover: polyester/olefin/acrylic Tilt: optional Number of ribs: 4/6/8 Open System: Lift up with rope Protective Cover: optional Umbrella Base: optional Fabric pocket/Fabric patch: optional

Options for pole & rib

Pole: Φ 38X2.25MM Φ 48X2.0MM

Rib: 14.5X30X1.2MM 20X30X1.0MM 20X35X1.5MM

Options for Hub & Runner

Resin Hub & Runner
Resin Hub & Runner W/S/S U Shape Brackets
Alum.alloy Hub & Runner W/S/S U Shape Brackets
Alum.alloy Hub & Runner W/Alum.Rib Connector

Others





Options for pole & rib

Details

Pole: Φ 38X2,25MM Φ 48X2.0MM

Rib: 14,5X30X1.2MM 20X30X1.0MM 20X35X1.5MM

Options for Hub & Runner

Resin Hub & Runner Resin Hub & Runner W/S/S U Shape Brackets

Others

Finishes for frame





91X91X3.5MM

Rib: 20X30X1.0MM 20X35X1.5MM 20X40X1.5MM


Options for Hub & Runner

Alum.alloy Hub & Runner W/Alum.Rib Connector

Others











DB-025

Alum, Hanging Umbrella

Options for pole & rib

Pole: 86X86X3.0MM/91X91X3.5MM Rib: 20X30X1.0MM/20X35X1.5MM/20X40X1.5MM

Octagon Square Rectangle 2.5M 2.5X2.5M 2X3M 2.7M 2.7X2.7M 3X4M 3M 3X3M 3.3M 3.3X3.3M 3.5M 3.5X3.5M 4M 4X4M

Shapes & sizes





Finishes for frame

inisites i	or traine	
nd Kottig Cilor	White Cells Femder Coated	Black Color Freedor Colleg
7		

Hubs & Runners

alum.alloy-1



alum.alloy-2

resin-3


Finials



Base Options



Material Options





Frame Structure Options



DB-008W-A (hardwood)



DB-008W-H (hardwood)



DB-008W-I (hardwood)



DB-008W-J (hardwood)



DB-008W-L(teak)



DB-009W-A (hardwood)



DB-008A-F(alum.)



DB-009A-C (alum.)

Pulley System



DB-E



DB-B



DB-D

Rib Rivet Options



B style



D style



auto-locked E style



G style



alum.patch

Protective Night Cover Pin & Chain, Pulley Rope promonomono. Leather Swatches #032 #033 #190



FOR RESORTS & HOTELS

Derbal Technology Co.,Ltd. | Derbal Technology Co.,Ltd is a one-stop resort and hotel supply business based in GuangDong China Since establishment in 2010, we have been ensuring that tour customers around the world are delivered the latest standard in hotel supply. From manufacturing to customer service, we aim to 'be the expert of hotel integrated services' throughout the operations. With rich experience high standard products, Our services are trusted by some of the most renowned names in the global hotel industry, including Minor International, Hilton Hotels & Resorts and Soneva Jani. Their clients in Maldives include the recently-opened Le Meridien Maldives Resort & Spa and Patina Maldives Fari Islands, as well as Finolhu Baa Atoll and Niyama Private Islands Maldives.

Our diverse product catalogue ranges from dining porcelain, glassware, catering appliances and room supplies to lobby equipment and outdoor furniture. we offers the latest designs, innovations, superior quality and reasonable value to meet and exceed client expectations. Many products are suitable to the Maldives' unique luxury one resort one island concept, such as fashionable outdoor swings, sun beds and floating trays.

The credit significantly goes to the strong relationships built with the employees and management. We offer training and development opportunities to staff to cultivate high-quality talents for the hotel supplies industry. Full talent and potential can be displayed.

In Derbal, guaranteed quality, superior products, steady supply and comprehensive experience being just some of the key advantages offered by us, we have strong confidence that we will be your best resort and hotel suppliers in China.

#resortsupply #hotelsupply #islandhotels #maldives #resorts #luxuryhotels #luxuryresorts
#emerald #dusit

Based In China, Serving the Globe!

DERBAL TECHNOLOGY CO.,LTD

JASON KOWK

SALES



W.A./M.: +86 15918341679

Email: sales08@derbaltech.com

Add.:China Office: 701A,GuangFa Building,Xinhu Road,Xixiang Ave,Shenzhen,China.

HK Office:Room 63, 7/F, Woon Lee Commercial Building, 7-9 Austin Ave, Tsim Sha

